

VALCO CINCINNATI CONSUMER PRODUCTS INC.  
**MATERIAL SAFETY DATA SHEET**  
 ADDRESS: 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OH 45246  
**MATERIAL NAME:** TORCO CAM LUBE  
**PART NUMBER(S):** 710XX754  
**EMERGENCY TELEPHONE NO.:** CALL INFOTRAC AT 1-800-535-5053  
**PRODUCT INFORMATION NO.:** (513) 874-6550  
**DATE ISSUED:** AUGUST 2009

**SECTION I – GENERAL INFORMATION**

**MANUFACTURER'S NAME:** TORCO INTERNATIONAL CORP.  
**TRADE NAMES & SYNONYMS:** PETROLEUM  
**DOT HAZARD CLASSIFICATIONS AS FOLLOWS:**  
 OIL, PETROLEUM, N.O.S. (GREASE)  
 (NOT REGULATED)  
 UN 9277  
 NOT HAZARDOUS  
**AIR SHIPPING INFORMATION:**  
 NFPA CLASS IIIB MATERIAL-COMBUSTIBLE LIQUID. FLASH POINT ABOVE 200° F  
**CHEMICAL FAMILY:** PETROLEUM

**SECTION II – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

**HAZARDOUS COMPONENTS**

(SPECIFIC CHEMICAL IDENTITY - COMMON NAME(S)):

	CAS NUMBER	PEL/TWA	PERCENT BY WEIGHT
<b>BASE MATERIALS</b>			
DISTILLATES PETROLEUM	64742-55-8, 64742-56-9	5 MG/M3, MIST	40-99%
HYDROTREATED HYDROCARBONS	64742-65-0, 64741-97-5	(OSHA, ACGIH)	
SYNTHETIC HYDROCARBONS	64742-54-7, 64741-88-4 64742-01-4, 64742-57-0 64742-62-7, 68037-01-4 64741-97-5	STEL: 10MG/M3 MIST (ACGIH)	
<b>POLYMERS</b>	N/A "MIXTURE"	5 MG/M3, MIST (OSHA, ACGIH) STEL:10 MG/M3, MIST (ACGIH) LD 50>5000 MG/KG(RATS). (ORAL) LC 50>2000 MG/KG (RABBITS)	5-40%
<b>ADDITIVES (1)</b>	N/A "MIXTURE"	5 MG/M3, MIST (OSHA, ACGIH) STEL: 10 MG/M3, MIST (ACGIH)	3-10%

**HAZARDOUS INFORMATION:** HIGHLY REFINED PETROLEUM OIL AND OTHER PETROLEUM HYDROCARBONS, BY DEFINITION ARE CONSIDERED HAZARDOUS ACCORDING TO OSHA, 29 CFR 1910.12200 BECAUSE THEY CARRY THE THRESHOLD LIMIT VALUE (TLV) FOR MINERAL OIL MIST.  
 (1) MULTI-FUNCTIONAL ADDITIVE MIXTURE OF ANTI FOAM ADDITIVES, DISPERSANTS INHIBITORS POUR POINT DEPRESSANT, RUST INHIBITORS, VISCOSITY INDEX IMPROVERS, COMPOSED OF VARIOUS ORGANO-METALLIC COMPOUNDS, TYPICALLY CONTAINING ZINC DIALKYL DITHIOPHOSPHATE (CAS 6849-42-3) CALCIUM SALTS AND OTHER TRACE ELEMENTS.

**SECTION III – PHYSICAL/CHEMICAL CHARACTERISTICS**

**BOILING POINT:** >425° (C) **VAPOR DENSITY (AIR = 1):** >1/ HEAVIER THAN AIR  
**SOLUBILITY IN WATER:** NO/NIL **% VOLATILE BY VOLUME:** <1%-NIL  
**FLASH POINT:** 245° (C) 460° (F) C.O.C (TYPICAL) **PH:** N/A  
**BOILING POINT:** >425° (C) **SPECIFIC GRAVITY:** (WATER=1).891  
**EVAPORATION RATE:** SLOWER THAN ETHER

**APPEARANCE AND ODOR:**  
**FORM:** SEMI-SOLID **COLOR:** RED **ODOR:** PETROLEUM-MILD

**SECTION IV – FIRE AND EXPLOSION HAZARD DATA**

**NFPA (CODES 0=MINIMAL; 1=SLIGHT; 2=MODERATE; 3=SERIOUS; 4=SEVERE)**  
**NFPA=**FIRE-1/HEALTH-1/REACTIVITY-0/SPECIFIC HAZARD-0  
**FLASH POINT:** 240° (C) 460° (F) C.O.C (TYPICAL) **FIRE POINT:** 500° (F) (TYPICAL)

**VALCO CINCINNATI CONSUMER PRODUCTS INC.**  
**MATERIAL SAFETY DATA SHEET**  
**ADDRESS:** 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OH 45246  
**MATERIAL NAME:** TORCO CAM LUBE  
**PART NUMBER(S):** 710XX754  
**EMERGENCY TELEPHONE NO.:** CALL INFOTRAC AT 1-800-535-5053  
**PRODUCT INFORMATION NO.:** (513) 874-6550  
**DATE ISSUED:** AUGUST 2009

#### SECTION IV – FIRE AND EXPLOSION HAZARD DATA (CONT)

**EVAPORATION RATE:** SLOWER THAN ETHER  
**EXPLOSIVE LIMITS:** (FOR PRODUCT) LOWER 1.0% UPPER 7%  
**STABILITY:** STABLE  
**HAZARDOUS DECOMPOSITION PRODUCTS:** CARBON MONOXIDE, VARIOUS HYDROCARBONS.  
**INCOMPATIBILITY:** STRONG OXIDIZERS  
**CONDITIONS TO AVOID:** DO NOT WELD OR CUT ON “EMPTY DRUMS”, VAPORS CAN CAUSE FIRE, EXPLOSION OR TOXIC FUMES FROM RESIDUES. DO NOT PRESSURIZE OR EXPOSE DRUMS TO HEAT OR OPEN FLAMES. KEEP CONTAINERS CLOSED AND DRUM CLOSURES IN PLACE.  
**EXTINGUISHING MEDIA:** WATER FOG-CO2-DRY CHEMICAL-FOAM-EARTH OR SAND  
**UNUSUAL FIRE HAZARD:** DO NOT USE A DIRECT STREAM OF WATER FOR FIGHTING FIRES, PRODUCT IS LIGHTER THAN WATER AND WILL FLOAT. HEATED VAPORS/FUMES MAY IGNITE.  
**SPECIAL FIRE FIGHTING PROCEDURES:** FOAM MAY BE USED TO SUPPRESS FUMES AND VAPORS. FIRE FIGHTERS SHOULD USE NIOSH APPROVED POSITIVE AIR BREATHING APPARATUS (SCBA) IF FIGHTING FIRES IN A CONFINED SPACE. BULK CONTAINERS EXPOSED TO EXTREME HEAT MAY RUPTURE. CONSUMER PACKAGES ARE PLASTIC & CARDBOARD AND WILL MELT OR BURN IF EXPOSED TO HIGH HEAT. KEEP CONTAINERS COOL WITH WATER FOG.  
**COMBUSTION OR DECOMPOSITION PRODUCTS:** CARBON MONOXIDE AND HYDROCARBON COMPOUNDS MAY BE FORMED DURING COMBUSTION.

#### SECTION VI – HEALTH HAZARD DATA

**ROUTES OF ENTRY:** EYES, SKIN, INGESTION, INHALATION  
**EYES:** NOT EXPECTED TO CAUSE PROLONGED OR SIGNIFICANT EYE IRRITATION. MINIMAL HAZARD.  
**SKIN:** ACUTE: NOT EXPECTED TO CAUSE PROLONGED OR SIGNIFICANT SKIN IRRITATION.  
**INGESTION:** ACUTE: LOW ORDER OF TOXICITY, BUT MAY CAUSE GASTROINTESTINAL NAUSEA AND GENERAL DISTRESS, DIARRHEA. INGESTION OF LARGE AMOUNTS MAY CAUSE HEADACHE, NAUSEA, AND DROWSINESS.  
**INHALATION:** HARMFUL CONCENTRATION OF MIST/VAPORS ARE UNLIKELY THROUGH CUSTOMARY HANDLING OR USE OF PRODUCT.  
**SIGNS & SYMPTOMS OF EXPOSURE:** SKIN CHAPPED & RED, EYES MAY BECOME RED AND TEAR, HEADACHE, NAUSEA.  
**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** PRE-EXISTING DERMAL CONDITIONS.  
**OTHER:** NONE

#### SECTION VII – FIRST AID MEASURES HEALTH & SAFETY INFORMATION

**EMERGENCY AND FIRST AID PROCEDURES:**  
**EYES:** FLUSH EYES WITH WATER FOR 15 MINUTES. MAY CAUSE REDNESS OR IRRITATION.  
**SKIN:** FLUSH WITH SOAP AND WATER CONTAMINATED CLOTHING-REMOVE AND LAUNDRER.  
**INGESTION:** GIVE PLENTY OF WATER OR MILD FLUIDS, AND CALL PHYSICIAN IMMEDIATELY. DO NOT INDUCE VOMITING. IF VOMITING OCCURS, PLACE HEAD LOWER THAN HIPS, KEEP FLUID FROM ENTERING LUNGS. ASPIRATION INTO LUNGS SHOULD BE AVOIDED. ASPIRATION HAZARD: YES-KEEP PRODUCTS FROM ENTERING LUNGS.  
**INHALATION:** REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION AND OXYGEN.

#### SECTION VIII – PRECAUTIONS FOR SAFE HANDLING AND USE AND CONTROL MEASURES

**SPILL OR LEAK:**  
GENERAL: ABSORB WITH SAND OR INERT MATERIAL, SWEEP OR SCOOP UP AND REMOVE SMALL QUANTITIES. PREVENT SPREAD OF LIQUID PRODUCT (IF ANY). CONTAIN WITH ABSORBENT MATERIALS. CLEAN PAVED AREAS WITH SOAP & WATER, RECYCLING OF WASH WATER IS RECOMMENDED WITH OTHER WATER BASED INDUSTRIAL FLUIDS.  
**SMALL SPILLS:** CLEAN UP SMALL SPILLS WITH ABSORBENT MATERIAL. WASH OR MOP AREA WITH SOAP & WATER. DO NOT WASH VISIBLE LIQUID TO DRAIN.

**VALCO CINCINNATI CONSUMER PRODUCTS INC.**  
**MATERIAL SAFETY DATA SHEET**  
**ADDRESS:** 411 CIRCLE FREEWAY DRIVE, CINCINNATI, OH 45246  
**MATERIAL NAME:** TORCO CAM LUBE  
**PART NUMBER(S):** 710XX754  
**EMERGENCY TELEPHONE NO.:** CALL INFOTRAC AT 1-800-535-5053  
**PRODUCT INFORMATION NO.:** (513) 874-6550  
**DATE ISSUED:** AUGUST 2009

**SECTION VIII – PRECAUTIONS FOR SAFE HANDLING AND USE AND CONTROL MEASURES (CONT)**

**LARGE SPILLS:** ELIMINATE ALL IGNITION SOURCES. PRODUCT WILL FLOAT ON WATER. CONTAIN LIQUID WITH ABSORBENT MATERIAL. STOP LEAK SOURCE IF SAFE. ABSORB ANY LIQUID WITH ABSORBENT MATERIAL, KEEP PRODUCT FROM ENTERING WATERWAYS AND SEWERS. CONTACT AUTHORITIES AS REQUIRED, THAT A SPILL HAS OCCURRED.

**WASTE DISPOSAL METHODS:** DISPOSE OF CONTAMINATED ABSORBENT MATERIAL IN ACCORDANCE WITH ALL FEDERAL, STATE, & REGIONAL REQUIREMENTS.

**HANDLING & STORAGE:**

**WORK/HYGIENIC PRACTICES:**

WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT. PRODUCT ABSORBS INTO ORGANIC MATERIAL SUCH AS COTTON OR LEATHER, DESTROY SATURATED SHOES & GLOVES.

**INDUSTRIAL WORKPLACE/HYGIENIC PRACTICES:**

THOROUGHLY WASH ALL CONTAMINATED CLOTHING BEFORE REUSE. LONG SLEEVE SHIRT RECOMMENDED. SAFETY GLASSES, FACE SHIELD, LATEX GLOVES & APRON RECOMMENDED IF CLEANING UP LARGE SPILLS. RUBBER BOOTS SHOULD BE WORN IF STANDING IN SOLUTION. LIMIT SKIN CONTACT. DESTROY SATURATED SHOES AND GLOVES.

**OTHER PRECAUTIONS:**

**WARNING:** AVOID SKIN CONTACT WITH USED MOTOR OILS. USED MOTOR OILS HAVE CAUSED CANCER IN LABORATORY ANIMALS. STORE BETWEEN 40° AND 120° DEGREES F. KEEP FROM FREEZING, BOTTLES MAY BECOME BRITTLE. DO NOT REUSE CONTAINERS. KEEP OUT OF REACH OF CHILDREN.

**PERSONAL PROTECTION EQUIPMENT:**

**EYE/FACE PROTECTION:** SAFETY GOGGLES OR GLASSES

**SKIN PROTECTION:** WEAR OIL IMPERVIOUS TYPE, SUCH AS NITRIL, NEOPRENE, OR POLYVINYLCHLORIDE(PVC) TO MINIMIZE SKIN CONTACT.

**RESPIRATORY PROTECTION:** NONE REQUIRED FOR NORMAL USE. IF EXPOSURE TO MIST OR VAPORS IS EXPECTED TO EXCEED OCCUPATIONAL EXPOSURE LIMITS FOR OIL MIST, USE A NIOSH APPROVED RESPIRATOR TO PREVENT OVER EXPOSURE. USE AN ATMOSPHERE SUPPLYING RESPIRATOR OR AN AIR PURIFYING RESPIRATOR FOR ORGANIC VAPORS AND PARTICULATES.

**ENGINEERING CONTROLS:** (LOCAL/MECHANICAL.SPECIAL) LOCAL FOR NORMAL PRODUCT USE.

DISPOSE OF WASTE PRODUCT BY RECYCLING WITH OTHER SIMILAR PETROLEUM HYDROCARBON MATERIALS. IF PRODUCT HAS BEEN SPILLED, USED, OR CONTAMINATED DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND REGIONAL GUIDELINES. DO NOT LAND FILL WITHOUT CHECKING ALL APPLICABLE REGULATIONS.

**SECTION IX – REGULATORY INFORMATION**

TSCA INFORMATION: ALL COMPONENTS OF THIS PRODUCT ARE LISTED.

SARA TITLE III: UNDER THE PROVISIONS OF TITLE III, SECTIONS 311/312 OF THE SUPERFUND AMENDMENTS

SARA TITLE III: UNDER THE PROVISIONS OF TITLE III, SECTIONS 311/312 OF THE SUPERFUND AMENDMEN

HAZARDOUS CATEGORIES: THIS PRODUCT IS CLASSIFIED INTO THE FOLLOWING HAZARD CATEGORIES: NOT HAZARDOUS.

TRANSPORTATION: WHEN SHIPPED IN BULK, SHIP AS NON HAZARDOUS, UN 9277 OR UN1270, OIL, PETROLEUM, N.O.S.

**SECTION X – DISCLAIMER**

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE; OBTAINED FROM SOURCES BELIEVED BY VALCO CINCINNATI, INC. TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS OF USE OF OUR PRODUCT ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT OF THE IMPROPER USE OF THIS PRODUCT OR THE INFORMATION PROVIDED HERE WITH.